
TECHNOMELT.
TEROSON.
AQUENCE.

HENKEL SOLUTIONS FOR INTERIOR LAMINATION



G

ADDRESSING TRENDS IN AUTOMOTIVE INTERIOR WITH HENKEL SOLUTIONS

Henkel offers a comprehensive portfolio of adhesives for automotive interior applications. With products ranging from reactive hot melts, PSA hot melts, and water-based adhesives, to micro emission hot melt adhesives, we will solve any lamination and assembly challenge.







Sustainability

- » Label free reactive adhesives
- » Non-VOC lamination adhesives
- » Hot melts with up to 60% renewable and recycled raw materials
- » Reduced energy consumption in lamination process due to reduced process temperature
- » Vehicle interior air quality
- » Low carbon footprint adhesive

Comfort & Safety



- » New Ambient Lighting Concepts: Transparent and UV resistant, non-yellowing adhesive for back-lighting
- » Premium & Smart Surfaces: Natural textile fibers, vegan interior, delicate leather surfaces

Ţ.

Manufacturing Process & Cost Leadership

- Short process times through fast setting adhesives
- » Reduced number of process steps
- » Low reactivation temperature

AUTOMOTIVE INTERIOR ADHESIVES

TEROSON TECHNOMELT. TECHNOMELT. **AQUENCE**. **REACTIVE NON-REACTIVE WATER-BASED SOLVENT-BASED HOTMELTS HOTMELTS DISPERSIONS** PUR PSA, PO PUD TPU, CR **CHEMISTRY** Spray application Spray Spray application Spray application Roll coat **ADHESIVE** Roll coat Roll coat Roll coat On carrier / **APPLICATION** On carrier / On carrier / On carrier / Spacer fabric Spacer fabric Spacer fabric Spacer fabric **DRYING STEP** None Required None Required Oven Drying **Product Dependent** Prepositioning of Prepositioning of Assembled as Assembled when **LAMINATION** dry laminate dry laminate liquid adhesive adhesive is liquid

except PSA based

Successive

lamination

Successive

lamination

Please contact us to learn more about our portfolio of water-based adhesives for the APAC region.

Successive

lamination

PROCESS





INTERIOR SYSTEMS

01 Overhead & Headliner

- » Headliner
- » Sun visor

02 Door System

- » Armrest
- » Door beltline
- » Door bolster
- » Door panel

03

Cockpit and Instrument Panel

- » Center consoles
- » Instrument panel
- » Instrument cluster
- » Steering wheel
- » Glove compartment
- » Shift knob

04 Seating System

- » Cushion
- » Recliner
- » Seat track
- » Seat frames
- » Seat plates
- » Seating suspension
- » Seat belt
- » Arm rests
- » Head rests

Carpeting & Textiles

» Carpet


05

- » Load floor
- » Package trays
- » Textiles

Other Interior


- » PVC bi-laminates
- » Pillar trim
- » Rear view mirror





OVERHEAD & HEADLINER







Good to know...

The headliner requires a broad range of bonding solutions. From easy ones like cable management and bonding of sound insulation to more complex applications like plastic attachments where a longer open time is required due to the handling time these parts require.

REACTIVE PUR HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® PUR 4663	Cable management	Manual / Robot bead application	Cable, felt, headliner	Long open time
TECHNOMELT® PUR 6225 LE	Plastic attachments	Manual / Robot bead application	Headliner, metal frame, ABS	Low emission grade
TECHNOMELT® PUR 9622-02 UV/03	Headliner lamination	Roller coater / spray application	Textile to headliner	Short cycle time

WATER-BASED ADHESIVE*

Product	Application	Process	Substrates	Benefits
TEROSON® PU A235 W + AQUENCE® CATALYST R397	Headliner lamination	Manual / Robot spray application	Textile to headliner	NMP/APEO free Long open time Tack free

PRESSURE SENSITIVE HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® PS 203A	Sound insulation, spacer	Manual / Robot bead application	Felt, PU foam	Short cycle time


NON-REACTIVE POLYOLEFIN HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® AS SP101	Sun visor lamination	Roller coater application	Fabric, PP foam	Good adhesion to non-polar substrates

Please contact us to learn more about our portfolio of water-based adhesives for the APAC region.

(h

DOOR SYSTEM





Good to know...

Henkel offers solutions for all three types of lamination processes (Vacuum-, Press- and IMG Lamination). The shape and complexity of the substrates have a big influence on the selection of the adhesive.

REACTIVE PUR HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® PUR 9622-02 UV	Door lamination	Automated roller coater application, Vacuum / press lamination	ABS, PP (pre-treated), TPO foil	Standard grade for door lamination
TECHNOMELT® PUR 6220 UV LV	Armrest lamination	Manual / Robot, spray application	ABS, PP (pre-treated)	Good spray ability, low viscosity
TECHNOMELT® PUR 9700 / 9720	Door lamination	Automated roller coater application Vacuum lamination	PVC foil, ABS, acrylic NF	Good plasticizer resistance (PVC foil) fast setting time
TECHNOMELT® PUR 4663 / 4650	Armrest bonding Retainer bonding	Manual / Robot, bead application	ABS, PP (pre-treated), NF	Long open time
TECHNOMELT® PUR 9800	Door lamination	Automated roller coater application Vacuum / press lamination	ABS, PP (pre-treated), TPO	Low carbon footprint based on recycled and renewable raw materials

WATER BASED PU DISPERSION*

Product	Application	Process	Substrates	Benefits
AQUENCE® PL 2506	Upper door panels lamination	Manual / Robot, spray application	PVC foil, ABS, PP (pre-treated)	NMP / APEO free, low reactivation (55°C)


NON-REACTIVE PRESSURE SENSITIVE HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® PS 203A	Water shedder foil bonding	Manual / Robot, bead application	PE foil, metal car body	Good adhesion to different surfaces

Please contact us to learn more about our portfolio of water-based adhesives for the APAC region.

企

INSTRUMENT PANEL





Good to know...

Because of the complex 3d shape of an instrument panel, vacuum lamination is often not possible, as the coverstock would be overstretched and destroyed. Hence, the coverstock is composed of single parts to fit the complex shape. The adhesive is sprayed on the plastic carrier and the woven or foam-backed cover is manually stretched onto the carrier and prefixed with a hot air gun. Therefore, sprayable adhesives are needed.

REACTIVE PUR HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® PUR 6221 UV	Instrument panel lamination	Automated by robot, manual correction Press lamination	Leather, TPO foil, ABS, treated PP	Standard grade for spray application
TECHNOMELT® PUR 6225 LE	Instrument panel lamination	Automated by robot, manual correction Press lamination	Leather, TPO foil, ABS, treated PP	Low reactivation temperature
TECHNOMELT® PUR 4663	Dashboard ornament bonding	Manual / Robot, bead application	Metal, Wood, ABS, PP (pre-treated)	Long open time
TECHNOMELT® PUR 9800	Door lamination	Automated roller coater application Vacuum / press lamination	ABS, PP (pre-treated), TPO	Low carbon footprint based on recycled and renewable raw materials

NON-REACTIVE POLYOLEFIN HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® AS 4209	Center console bonding Airbag channel bonding	Manual / Robot, bead application	PP, ABS	Good adhesion to non-polar substrates
TECHNOMELT® AS 8383	Instrument panel Center console	Roller coater spray application	PP, ABS	Good adhesion to non-polar substrates High heat resistance

MS POLYMER

Product	Application	Process	Substrates	Benefits
TEROSON® MS 930 / 647	Dashboard ornament bonding	Manual / Robot, bead application	Metal, wood, different plastic without pre-treatment	Elastic, good adhesion on different substrates
TEROSON® MS 647 2C	Airbag channel bonding	Manual / Robot, bead application	PP (pre-treated), ABS	Wide adhesion range, elastic

企

SEATING SYSTEM





Good to know...

A seat requires a wide range of solutions that Henkel can offer. It begins with the pre-treatment of the metal frame, bonding of additional parts to the frame, bonding of sensors in place and potting them, and it ends with the lamination of the seat cover.

REACTIVE PUR HOTMELT


Product	Application	Process	Substrates	Benefits
TECHNOMELT® PUR 9700	Seat back lamination	Automated roller coater application	ABS, reinforces NF, PVC or TPO foil	Good plasticizer resistance (PVC foil)
TECHNOMELT® PUR 4663 ME	Seamless seat cover lamination	Manual / robot spray application (swirl)	Seat cover, polyester fleece	Micro emission grade

NON-REACTIVE PRESSURE SENSITIVE HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® PS 8774	Seat heating bonding	Manual / robot bead application	Felt, seat heating	Very soft, flexible, tacky
TECHNOMELT® DM 5633	Seat back lamination	Robot bead Spray application	Felt	Low viscosity, solvent free, fast tack and grab, good temperature resistance for below the belt application

12 | 13





Load Carpet

Carpet / textile to load floor bonding

Sound Insulation

Bonding of different felt and insulation mats

Carpet & Carpet Bonding

Carpet to body bonding
Carpet to felt / fleece
bonding Carpet to back seat
bonding



Good to know...

Carpet applications usually don't require high bonding strength, and very often maximum service temperature does not exceed 80°C. So non-reactive hotmelts may be the right choice. Only overhead applications or complex 3D forms require reactive adhesives. Henkel offers both reactive and non-reactive adhesives that can help to accelerate and optimize the assembly processes and reduce total manufacturing cost.

REACTIVE PUR HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® PUR 4663	Load floor, carpet	Manual / Robot bead application	Baypreg, felt, carpet	Long open time
TECHNOMELT® PUR 9720	Load floor	Manual / Robot / Roller Coater /Bead application Press lamination	Baypreg, PVC foil, carpet	Good adhesion on PVC foil
TECHNOMELT® PUR 9800	Load floor, carpet	Roller coater / Bead application Press lamination	-	-


NON-REACTIVE PRESSURE SENSITIVE HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® AS H321 TECHNOMELT® AS H418	Headliner lamination	Manual / Robot spray application	Textile to headliner	NMP/APEO free Long open time Tack free
TECHNOMELT® AS H757	Load floor	Manual / Robot / Roller Coater / Bead application Press lamination	Baypreg, carpet, thermoformed parts	Good adhesion to non-polar substrates like PP

NON-REACTIVE APAO HOTMELT

Product	Application	Process	Substrates	Benefits
TECHNOMELT® AS 8383	Carpet, sound insulation	Manual / Robot / Roller Coater /Bead application	Felt, carpet, metal body, different plastic	Creep resistance up to 110°C, good adhesion to different surfaces







Good to know...

Steering wheel lamination is typically done manually. Water based dispersions are a sustainable alternative to solvent based adhesives. It can be dried and activated in one step with a hot air gun. For brand logo bonding, many different adhesives can be used depending on the process.


WATER BASED DISPERSION*

Product	Application	Process	Substrates	Benefits
AQUENCE® PL 1506	Steering wheel lamination	Manual, brush or spray gun	Leather, synthetic leather	Drying and reactivation in one operation

MS POLYMER / 2C PU POLYMER

Product	Application	Process	Substrates	Benefits
TEROSON® MS 9120 TEROSON® MS 647 (1c or 2c) TEROSON® PU 6700 ME	Emblem bonding	Manual / Robot	PC-ABS, coating, ABS	Wide adhesion range, elastic Fast curing

Please contact us to learn more about our portfolio of water-based adhesives for the APAC region.



Get in Touchwith our Global Team of Solution Engineers

Learn More

TECHNOMELT. TEROSON. AQUENCE.

The data contained herein is intended as reference only. Some products/package sizes may not be available in your country or region or may have a lead time. Please contact your local Henkel subsidiary for assistance and recommendations on specifications and applications of these products.





henkel-adhesives.com/automotive-electronics

GET IN TOUCH WITH US

EUROPE

GERMANY

Henkel AG & Co. KGaA (Headquarters) Henkelstraße 67 40589 Düsseldorf

ASIA-PACIFIC

CHINA

Henkel (China) Investment Co., Ltd. Building 7 & Building 6 (5F-6F), The Springs Center No. 99 Jiang Wan Cheng Road Yang Pu District, Shanghai

JAPAN

200438

Henkel Japan Ltd. 27-7 Shin Isogo-cho Isogo-ku Yokohama, 235-0017

KOREA

Henkel Korea Co., Ltd 8th Floor, Henkel Tower Building, 41, Mapo-daero 4da-gil, Mapo-gu, Seoul

INDIA

Henkel Adhesives Technology India Pvt Ltd Survey No- 234, 235 & 245, Phase -1, Hinjewadi, Pune Maharashtra- 411057

AMERICA

USA

Henkel Corporation Madison Heights 32100 Stephenson Highway Madison Heights, MI 48071

BRAZIL

Henkel Lapa, São Paulo Rua Werner von Siemens, 111 – Lapa de Baixo – SP Torre A – 5, 6, e 7 andares CEP: 05069-900 São Paulo

The information provided herein, especially recommendations for the usage and the application of our products, is based upon our knowledge and experience. Due to different materials used as well as to varying working conditions beyond our control we strictly recommend to carry out intensive trials to test the suitability of our products with regard to the required processes and applications. We do not accept any liability with regards to the provided information in this brochure or with regard to any verbal recommendation, except for cases where we are liable of gross negligence or false intention. The information is protected by copyright. In particular, any reproductions, adaptations, translations, storage and processing in other media, including storage or processing by electronic means, enjoy copyright protection. Any exploitation in whole or in part thereof shall require the prior written consent of Henkel AG & Co. KGaA. Except as otherwise noted, all marks used in this document are trademarks and/or registered trademarks of Henkel and/or its affiliates in the US, Germany, and elsewhere.